

Broward Healthy Start Coalition, Inc.

Healthy Start Program – Prenatal, Infant, and Interconceptional (ICC) Pathways

As the key component of the Healthy Start Program and Prenatal and Infant Pathways, face-to-face visits are completed a minimum of once every 30 days and more often based on client’s risk level, safety concerns, and individual needs. Phone calls occur in between visits.

The pathway infographics below depict the general flow of services including but not limited to the Initial Assessment (Engagement Visit), Screening and Intervention Pathways, Prenatal and Parenting Education, ICC services, Family Support Planning (FSP), linkages and referrals to services and care, and appropriate follow up.

Screenings and subsequent interventions, based on the screening results, are completed at specific timeframes in the pathways during face-to-face visits to include screening for maternal depression (Edinburgh), domestic/intimate partner violence (IPV), tobacco use, substance use, and infant development (ASQ). The Screening Schedule is shown below.

Prenatal and parenting education are also a main component of the pathways. Interconception care counseling (ICC) services begin in the third trimester of pregnancy and continue until six months postpartum and beyond, as needed.

HEALTHY START HIGH RISK PRENATAL PATHWAY

Engagement Visit: Relationship building, determine family needs, promote parent-child interaction and collaborate with parents on family’s needs.



**1st Trimester or
30 days of Engagement
Educate -
Partners for a Healthy Baby**

- Screening - IPV, Edinburgh, Substance Abuse
- SCRIPT
- Plan Based on Identified Risks
- Community Referrals



**2nd Trimester
Educate -
Partners for a Healthy Baby**

- Initiate SCRIPT if needed
- Screening - IPV
- SCRIPT
- Plan Based on Identified Risks
- Community Referrals



**3rd Trimester
Educate -
Partners for a Healthy Baby
Mothers & Babies (+ Edinburgh)**

- ICC
- One Key Question™
- Determination of Top 3 goals
- Screening - Edinburgh, Substance Abuse

HEALTHY START HIGH RISK INFANT PATHWAY



**PRENATAL, INFANT, AND ICC PATHWAYS
SCREENING SCHEDULE**

	SCREENINGS REQUIRED
Point of Entry (Prenatal Initial Assessment)	<p style="text-align: center;">Tobacco: at initial assessment</p> <p style="text-align: center;">Substance Use: At initial assessment or within 30 days of enrollment</p> <p style="text-align: center;"><i>*Check for additional screenings that may need to be completed during IA based on trimester of woman at time of entry</i></p>
1st Trimester (Conception up to 13 weeks)	IPV: Trimester 1
2nd Trimester (13 weeks to 27 weeks)	<p style="text-align: center;">IPV: Trimester 2</p> <p style="text-align: center;">Edinburgh: 26-30 weeks</p>
3rd Trimester (27 weeks to birth)	<p style="text-align: center;">Edinburgh: 26-30 weeks (if not already <u>completed</u>)</p> <p style="text-align: center;">Tobacco: 36 weeks</p> <p style="text-align: center;">Substance Use: Trimester 3</p> <p style="text-align: center;">IPV: Trimester 3</p> <p style="text-align: center;">Show Your Love Measure (ICC) – Trimester 3</p>
	SCREENINGS REQUIRED
Point of Entry if not served prenatally (infant Initial Assessment)	<i>*additional screenings may need to be completed during IA based on infant's age at time of entry</i>

ATTACHMENT A

Infant's First Year	<p>Edinburgh: 1 month postpartum</p> <p>Tobacco: 1 month postpartum</p> <p>Show Your Love (ICC): 1 month postpartum</p> <p>Substance Use: 1 month postpartum</p>
	<p>Edinburgh: 2 months postpartum</p> <p>ASQ3: <u>2 month</u></p> <p>IPV: At 2-3 months post-partum</p> <p>Show Your Love (ICC): 2-3 months postpartum</p>
	<p>ASQ3: <u>4 month</u></p> <p>IPV: 6 months post-partum</p> <p>Show Your Love (ICC): 4-6 months postpartum</p>
	<p>ASQ3: <u>8 month</u></p> <p>Show Your Love (ICC): 7-9 months postpartum</p>
	<p>ASQ3: <u>12 month</u></p> <p>ASQ:SE 12 month</p> <p>Show Your Love (ICC): 10-12 months postpartum</p>